

About Us

Shangdong Lemax Heavy Industry Co., Ltd. is a professional manufacturer specializing in the design, production, sales, and service of hydraulic lifting equipment. Our product range includes aerial work platforms, hydraulic freight elevators, wheelchair lifts, scissor lifts, car lifts, car turntables, parking lifts, and more.

We provide reliable and efficient lifting solutions to customers in over 105 countries and regions worldwide, widely used in industrial, logistics, construction, commercial, and public sectors.



LEMAX LIFT

Get In Touch

+86 15318806588

contact@lemaxlift.com

No.8 Minchang Road,
Sunji, Shanghe, Jinan ,
Shandong Province, China



EMAX LIFT

LEMAX LIFT PRODUCTION




www.lemaxlift.com
www.sinolemax.com



HYDRAULIC CARGO LIFT



Hydraulic cargo lift featured with stability, durability, lower cost, customization flexibility and easy installation, is capable of lifting goods within 6 tons between floors up to 15 meters. It is mostly used both indoor and outdoor of warehouse, factory, building, hospital, market, etc., to improve work efficiency.



- ◆ PLC control system
- ◆ Customized service
- ◆ High safety
- ◆ Warranty

Two Post Cargo Lift

Standard features

- ◆ Commercial and industrial applications
- ◆ 2 post design
- ◆ 500kg/1000kg loading capacity
- ◆ Upper and lower landing limits
- ◆ Upper safety limit
- ◆ 24V DC safety control circuit
- ◆ Digital control panel on each landing stop
- ◆ Manual lower down valve when power off
- ◆ Explosive-proof valve
- ◆ 4-5m/min. lifting speed, down speed adjustable
- ◆ 200mm minimum pit
- ◆ 5 year warranty on main structural components




Two Post Cargo Lift Parameters

Model	Load Capacity	Platform Size	Travel Height	Pit Depth	Dimension
GR0.3-4	300kg	1200*1500mm	4000mm	200mm	1550*1650*6000mm
GR0.5-2.4	500kg	1000*1000mm	2400mm	200mm	1350*1150*4500mm
GR0.5-3.3	500kg	900*1300mm	3300mm	200mm	1250*1450*5300mm
GR0.8-3	800kg	1100*1200mm	3000mm	200mm	1450*1350*5000mm
GR1-6	1000kg	800*900mm	6000mm	200mm	1300*950*8000mm

Customize according to your needs.


Project Case



Four Post Cargo Lift

Standard features

- ◆ Commercial and industrial applications
- ◆ 4 post design
- ◆ 2000kg loading capacity
- ◆ Upper and lower landing limits
- ◆ Upper safety limit
- ◆ 24V DC safety control circuit
- ◆ Digital control panel on each landing stop
- ◆ Manual lower down valve when power off
- ◆ Explosive-proof valve
- ◆ 4-5m/min. lifting speed, down speed adjustable
- ◆ 200-250mm minimum pit
- ◆ 5 year warranty on main structural components




Four Post Cargo Lift Parameters

Model	Load Capacity	Platform Size	Travel Height	Pit Depth	Motor power
GR2-7	2000kg	2000x2000mm	7000mm	2650*2160*300mm	4KW
GR2-9	2000kg	2000x2000mm	9000mm	2650*2160*300mm	4KW
GR3-3	3000kg	2000x3000mm	3000mm	2650*3160*300mm	4KW
GR3-5	3000kg	2000x3000mm	5000mm	2650*3160*300mm	4KW
GR3-7	3000kg	2000x3000mm	7000mm	2650*3160*300mm	4KW

Customize according to your needs.


Project Case



Fully Enclosed Cargo Lift

Standard features

- ◆ Commercial and industrial applications
- ◆ 4 post design
- ◆ Mesh enclosure outside for safety
- ◆ Upper and lower landing limits
- ◆ Upper safety limit
- ◆ 24V DC safety control circuit
- ◆ Digital control panel on each landing stop
- ◆ Manual lower down valve when power off
- ◆ Explosive-proof valve
- ◆ 4-5m/min. lifting speed, down speed adjustable
- ◆ 200-250mm minimum pit
- ◆ 5 year warranty on main structural components



Fully Enclosed Cargo Lift Parameters

Model	Load Capacity	Platform Size	Travel Height	Pit Depth	Motor power
GR2-7	2000kg	2000x2000mm	7000mm	2650*2160*300mm	4KW
GR2-9	2000kg	2000x2000mm	9000mm	2650*2160*300mm	4KW
GR3-3	3000kg	2000x3000mm	3000mm	2650*3160*300mm	4KW
GR3-5	3000kg	2000x3000mm	5000mm	2650*3160*300mm	4KW
GR5-7	5000kg	3000x3000mm	7000mm	3700x3160x350mm	5.5KW

Customize according to your needs.

Project Case



Optional Parts



Mesh Enclosure



Color Steel Enclosure



Mesh Landing Door



Double-Motor



Silence Motor



Motor Protection Box



Mesh Cabin



Steel Plate Cabin



Stainless Steel Cabin




Overload Warning



Electromagnetic Lock




Explosion-proof Parts



Roller Shutter Door



Collapsible Door




Sliding Door



Electric Generator



Remote Controller




Fixed Ramp



FIXED SCISSOR LIFT



Hydraulic scissor lift tables featured with stability, durability, customization flexibility and easy installation, is capable of lifting goods and cars within 20 tons between floors up to 10 meters. It is widely used in warehouse, factory production lines, ports, loading docks, car garages, car 4S shops, etc. , to improve work efficiency.



- ◆ PLC control system
- ◆ Customized service
- ◆ High safety
- ◆ Warranty

Scissor Cargo Lift

Scissor Cargo Lift Parameters

Model	Load Capacity	Platform Size	Travel Height	Pit Depth	Motor power
FX1-1	1000kg	1300x820mm	990mm	200mm	1.5KW
FX1-4	1000KG	2000x1000mm	1300mm	240mm	1.5KW
FX2-2	2000KG	2000x1000mm	1300mm	250mm	2.2KW
FX2-4	2000KG	2000x1800mm	1400mm	250mm	2.2KW
FX4-3	4000KG	2200x1800mm	1300mm	300mm	3.0KW

Customize according to your needs.

Standard features

- ◆ Platform: Checkered Steel Plate reinforced by high strength channel steel.
- ◆ Scissor structure: Manganese steel rectangular tube, I-iron sealed by steel plate or manganese steel plate.
- ◆ Control apparatus, Brand DEXILI, Siemens or Schneider.
- ◆ Hydraulic cylinder, both way high precision wear-resisting hydraulic cylinder with locking device for fall protection.
- ◆ Hydraulic pipe, high pressure pipe with double expanded metal protected.
- ◆ Pump station, Brand Italy Hydrapp or Lisheng.



Ground Mounted

The platform surface will have a height difference with the ground. If necessary, a small fixed ramp will be installed to facilitate loading and unloading.




Pit Mounted

Dig a pit according to the height of the machine. The platform surface will be flush with the ground, which is convenient for loading and unloading.



Main Component



Hydraulic Power Unit
The hydraulic power unit has incredible features: small, compact structure, lightweight, highly efficient, great working pressure, reliable performance and no leaks.

Hydraulic Cylinder
LEMAX hydraulic cylinder has outstanding features, includes smooth working performance, heavy workload, hard-wearing parts etc. It is heavy duty with reliable performance and no leaks.

Removable Guardrail
The guardrail is removable, which could assemble or disassemble the guardrail according to practical application. It could prevent people from injury if the goods fall down when lift moving.

Working Platform
Steel profile reinforced platform minimizes deck deflection and maximizes load stability. Checkered steel plate (skid-proof plate) could prevent people and goods from slipping down from platform.

Project Case



Scissor Car Lift



Hydraulic Power Unit
The hydraulic power unit has incredible features: small, compact structure, lightweight, highly efficient, great working pressure, reliable performance and no leaks.



Hydraulic Cylinder
LEMAX hydraulic cylinder has outstanding features, includes smooth working performance, heavy workload, hard-wearing parts etc. It is heavy duty with reliable performance and no leaks.



Removable Guardrail
The guardrail is removable, which could assemble or disassemble the guardrail according to practical application. It could prevent people from injury if the goods fall down when lift moving.




Working Platform
Steel profile reinforced platform minimizes deck deflection and maximizes load stability. Checkered steel plate (skid-proof plate) could prevent people and goods from slipping down from platform.

Scissor Car Lift Parameters

Model	Load Capacity	Platform Size	Travel Height	Min.Height	Power
FX3-3	3000kg	5000x2500mm	3000mm	650mm	5.5KW
FX3-4	3000kg	5000x2500mm	4000mm	800mm	5.5KW
FX3-6	3000kg	5000x2500mm	6000mm	800mm	7.5KW
FX5-3	5000kg	6500x2600mm	3000mm	680mm	7.5KW
FX5-4	5000kg	6500x2600mm	4000mm	680mm	7.5KW

Customize according to your needs.

Project Case




Double Deck Scissor Car Lift



Hydraulic Power Unit
The hydraulic power unit has incredible features: small, compact structure, lightweight, highly efficient, great working pressure, reliable performance and no leaks.



Hydraulic Cylinder
LEMAX hydraulic cylinder has outstanding features, includes smooth working performance, heavy workload, hard-wearing parts etc. It is heavy duty with reliable performance and no leaks.



Top Platform
The shape of the upper platform is made based on clients' demands. Checkered steel plate or 5cm groove for flexible pavement that is harmony with local environment.




Working Platform
Steel profile reinforced platform minimizes deck deflection and maximizes load stability. Checkered steel plate (skid-proof plate) could prevent people and goods from slipping down from platform.

Double Deck Scissor Car Lift Parameters

Model	Load Capacity	Platform Size	Travel Height	Min.Height	Power
FX3-3	3500kg	5000x2500mm	3000mm	650mm	5.5KW
FX3-4	3000kg	5000x2500mm	4000mm	800mm	5.5KW
FX3-6	3000kg	5000x2500mm	6000mm	800mm	7.5KW
FX5-3	5000kg	6500x2600mm	3000mm	6800mm	7.5KW
FX5-4	5000kg	6500x2600mm	4000mm	680mm	7.5KW

Customize according to your needs.

Project Case



Optional Parts



Mesh Enclosure



Safety Guardrails



Safety Bellow



Double-Motor



Silence Motor




Motor Protection Box



Mesh Cabin



Steel Plate Cabin



Stainless Steel Cabin



Overload Warning



Electromagnetic Lock



Explosion-proof Parts




Roller Shutter Door




Collapsible Door



Remote Controller



Fixed Ramp



Lip



Rollers Table

Why Choose Us

LEMAX is not only a manufacturer of lifting equipment, but also a producer of key components. From the boom of AWP to the support structures of cargo lift, we handle essential manufacturing processes internally to maintain strict quality control. We use premium-grade steel that surpasses industry standards, significantly enhancing the strength, stability, and safety of our equipment.

We Are Perfect For Lift Problems

Our Services:

Backed by years of hands-on experience, our engineers and technicians deliver expert solutions in lifting equipment design, production, and installation—providing customers with reliable and efficient service.



MANUFACTURER

LEMAX is a leading lifting equipment manufacturer, continuously providing safer and more ideal lifting solutions to customers around the world.



QUALITY

The main frame of the lift is manufactured by ourselves, using high-quality steel that exceeds industry standards to ensure strict quality control.



PRICES

Since we carry out most of the key manufacturing of the machines ourselves, we are able to offer better prices



Why We are The Best

LEMAX is a professional manufacturer specializing in the design, production, sales, and service of hydraulic lifting equipment. Our product range includes aerial work platforms, hydraulic freight elevators, wheelchair lifts, scissor lifts, car lifts, car turntables, parking lifts, and more.

We provide reliable and efficient lifting solutions to customers in over 105 countries and regions worldwide, widely used in industrial, logistics, construction, commercial, and public sectors.